

ACS Review Alkanes

1. Alkanes are characterized by the general molecular formula:

- A. C_nH_{2n-2}
- B. C_nH_{2n}
- C. C_nH_{2n+2}
- D. C_nH_{2n+4}


2. Cycloalkanes are characterized by the general molecular formula:

- A. C_nH_{2n-2}
- B. C_nH_{2n}
- C. C_nH_{2n+2}
- D. C_nH_{2n+4}

3. The carbon-carbon sigma bond in ethane is formed by overlap of which two orbitals?


- A. 2p-2p
- B. sp-sp
- C. sp^2-sp^2
- D. sp^3-sp^3

4. The correct IUPAC name of the following compound is:




- A. 4-ethyl-2-methylhexane
- B. 3-ethyl-5-methylhexane
- C. 2-methyl-4-ethylhexane
- D. 5-methyl-3-ethylhexane

5. The correct IUPAC name of the following compound is:



- A. 2-ethyl-3,5-dimethylheptane
- B. 6-ethyl-5,5-dimethylheptane
- C. 3,4,4-trimethyloctane
- D. 5,5,6-trimethyloctane

6. The common name of the following group is:




- A. *n*-butyl
- B. *sec*-butyl
- C. isobutyl
- D. *tert*-butyl

7. Which one of the following is 2,2,5-trimethylhexane?

- A. $(\text{CH}_3)_2\text{CHCH}_2\text{C}(\text{CH}_3)_3$
- B. $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_2\text{C}(\text{CH}_3)_3$
- C. $\text{CH}_3\text{CH}_2\text{CH}(\text{CH}_3)\text{C}(\text{CH}_3)_3$
- D. $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_2\text{CH}_2\text{C}(\text{CH}_3)_3$

8. The correct IUPAC name of the following is:




- A. 2,4,7-trimethylnonane
- B. 3,6,8-trimethylnonane
- C. 7-ethyl-2,4-dimethyloctane
- D. 2-ethyl-5,7-dimethyloctane

9. Which one of the following is *tert*-butyl chloride?

- A. $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl}$
- B. $\text{CH}_3\text{CH}_2\text{CHClCH}_3$
- C. $(\text{CH}_3)_2\text{CHCH}_2\text{Cl}$
- D. $(\text{CH}_3)_3\text{CCl}$

10. What is the IUPAC name of the following?



- A. 1-ethyl-4,4-dimethylcyclopentane
- B. 1-ethyl-3,3-dimethylcyclopentane
- C. 3-ethyl-1,1-dimethylcyclopentane
- D. 4-ethyl-1,1-dimethylcyclopentane


11. Cyclohexane is composed of:

- A. methine groups.
- B. methylene groups.
- C. methyl groups.
- D. both methine and methylene groups.

12. All the carbons in cyclopentane are:


- A. primary carbons.
- B. secondary carbons.
- C. tertiary carbons.
- D. quaternary carbons.

13. The correct name of the following compound is:




- A. (1-methylpropyl)cyclohexane
- B. (2-methylpropyl)cyclohexane
- C. (2,2-dimethylethyl)cyclohexane
- D. (2,2-dimethylpropyl)cyclohexane

14. The correct IUPAC name of the following compound is:



- A. (1-methylhexyl)cyclopentane
- B. (1-pentylethyl)cyclopentane
- C. 2-cyclopentylheptane
- D. 1-cyclopentyl-2-heptane

15. The C-C sigma bond in acetylene is formed by the overlap of which two orbitals?




- A. 2p-2p
- B. sp-sp
- C. sp^2 - sp^2
- D. sp^3 - sp^3


16. The boiling point of isobutane (-10.2°C) is lower than *n*-butane (-0.4°C) because isobutane has:

- A. weaker intermolecular van der Waals forces.
- B. stronger intermolecular van der Waals forces.
- C. weaker dipole-dipole attractive forces.
- D. stronger dipole-dipole attractive forces.


17. Which of the following are constitutional isomers?




I



II



III



IV

- A. I, II, and III
- B. I, III, and IV
- C. only I and III
- D. all are constitutional isomers

18. Arrange the following isomeric alkanes in order of increasing boiling point.

I. *n*-heptane

II. 2,3-dimethylpentane

III. 2,2,3-trimethylbutane

- A. $\text{I} < \text{II} < \text{III}$
- B. $\text{II} < \text{III} < \text{I}$
- C. $\text{III} < \text{I} < \text{II}$

D. III < II < I

19. The oxidation states of carbon range from:

- A. 0 to +2
- B. 0 to +4
- C. -4 to 0
- D. -4 to +4

20. Which of the following has(have) a higher oxidation state of carbon than the carbon in formaldehyde, $\text{H}_2\text{C}=\text{O}$?

I. CH_3OH

II. HCO_2H


III. H_2CO_3

- A. I
- B. III
- C. II and III
- D. I, II, and III

21. The *tert*-butyl group can also be called:

- A. 1,1-dimethylpropyl
- B. 1,1-dimethylethyl
- C. 2,2-dimethylpropyl
- D. 2,2-dimethylethyl

22. Carbon atoms 1, 2, and 3 in the following structure are classified, respectively, as:



- A. tertiary, primary, secondary.
- B. quaternary, primary, tertiary.
- C. quaternary, secondary, secondary.
- D. quaternary, secondary, tertiary.

23. Identify the isomer of C_6H_{14} that only has primary and tertiary carbons.

- A. hexane
- B. 2,2-dimethylbutane
- C. 3-methylpentane
- D. 2,3-dimethylbutane

24. Why can heats of combustion of constitutional isomers of hydrocarbons be used to measure their stabilities?

- I. Combustion of constitutional isomers gives different final states.
- II. Combustion of constitutional isomers gives the same final states.
- III. Constitutional isomers of hydrocarbons have the same potential energies.
- IV. Constitutional isomers of hydrocarbons have different potential energies.


- A. only I

- B. only II
- C. I and III
- D. II and IV

25. The heats of combustion ($-\Delta H^\circ$) of heptane and 3,3-dimethylpentane are 4,817 and 4,809 kJ/mol, respectively. Which statement is true?

- A. Heptane is 8 kJ/mol more stable than 3,3-dimethylpentane.
- B. 3,3-Dimethylpentane is 8 kJ/mol more stable than heptane.
- C. Stabilities cannot be compared since they are not isomers.
- D. Stabilities cannot be compared since they give different combustion products.

26. The reaction of acetylene with hydrogen gas is shown below. Which statements are true concerning the reaction?



- I. Acetylene is oxidized to ethane.
- II. Acetylene is reduced to ethane.
- III. Carbon changes oxidation state from -1 to -3.
- IV. Hydrogen (from H_2) changes oxidation state from 0 to +1.

- A. I and III
- B. II and IV
- C. I, III, and IV
- D. II, III, and IV


27. How many methine groups are there in isopropylcyclopentane?

- A. one
- B. two
- C. three
- D. four

28. What is the total number of constitutional isomers with the formula C_5H_{12} ?

- A. two
- B. three
- C. four
- D. five

29. What is the IUPAC name of the following?




- A. 6-isopropyl-3-methylnonane
- B. 6-propyl-3-methylnonane
- C. 2-ethyl-5-isopropyloctane
- D. 2-ethyl-5-propyloctane

30. How many moles of O_2 gas would be consumed in the complete combustion of 0.100 mole of C_5H_{12} ?


- A. 0.100 mole O_2
- B. 0.400 mole O_2

- C. 0.800 mole O₂
- D. 1.60 mole O₂


31. The systematic name of the following group is:




- A. 5-ethyl-2-methylpentyl
 - B. 1-ethyl-4-methylpentyl
 - C. 6-methyl-3-heptyl
 - D. 2-methyl-5-heptyl
32. What is the relationship between the two structures below?



- A. identical structures
 - B. resonance forms
 - C. constitutional isomers
 - D. different compounds with different compositions
33. What is the IUPAC name of following structure?




- A. 3-propylpentane
 - B. 3-ethylhexane
 - C. 2-ethylheptane
 - D. 4-ethylpentane
34. Which of the following are constitutional isomers?
- I. 2,3,3-dimethylhexane II. 2,2-diethylpentane III. 3-ethyl-2-methylheptane
- A. I and II
 - B. I and III
 - C. II and III
 - D. they are all constitutional isomers
35. What is the estimated C-C-C bond angle in the following structure?



- A. 90°
- B. 109.5°
- C. 120°
- D. 180°

36. What are the hybridizations of carbon atoms 2, 3, and 4 shown below?



- A. sp, sp^2, sp^2
- B. sp, sp^2, sp^3
- C. sp, sp, sp^2
- D. sp, sp, sp^3

37. Arrange the following hydrocarbons in order of increasing boiling point.


- I. pentane
- II. 2,2-dimethylpropane
- III. 2-methylbutane

- A. $I < II < III$
- B. $I < III < II$
- C. $II < I < III$
- D. $II < III < I$

38. The 1,1-dimethylethyl group, $-C(CH_3)_3$, can also be called:

- A. butyl.
- B. isobutyl.
- C. *sec*-butyl.
- D. *tert*-butyl.

39. What is the relationship between the following two structures?



- A. identical structures
 - B. resonance forms
 - C. constitutional isomers
 - D. different compounds with different compositions
40. The sp^3 orbitals of carbon in CH_4 are formed from the:
- A. three 2p orbitals.
 - B. 2s and one of the 2p orbitals.
 - C. 2s and two of the 2p orbitals.
 - D. 2s and the three 2p orbitals.
41. The geometry of sp^3 hybrid orbitals can be described as pointing towards the corners of a:
- A. triangle.
 - B. square.
 - C. tetrahedron.
 - D. square pyramid.
42. What is the Cl-C-Cl bond angle in CCl_4 ?
- A. 60°
 - B. 90°
 - C. 109.5°
 - D. 120°

ACS Review Alkanes KEY

1. C
2. B
3. D
4. A
5. C
6. B
7. B
8. A
9. D
10. C
11. B
12. B
13. B
14. C
15. B
16. A
17. A
18. D
19. D
20. C
21. B
22. D
23. D
24. D
25. B
26. D
27. B
28. B
29. A
30. C
31. B
32. C
33. B
34. A
35. C
36. D
37. D
38. D
39. A
40. D
41. C
42. C