

DESIGN PROBLEMS

Crystal Structures

12.D1 This problem asks that we determine the concentration (in weight percent) of InAs that must be added to GaAs to yield a unit cell edge length of 0.5820 nm. The densities of GaAs and InAs were given in the problem statement as 5.316 and 5.668 g/cm³, respectively. To begin, it is necessary to employ Equation 12.1, and solve for the unit cell volume, V_C , for the InAs-GaAs alloy as

$$V_C = \frac{n' A_{\text{ave}}}{\rho_{\text{ave}} N_A}$$

where A_{ave} and ρ_{ave} are the atomic weight and density, respectively, of the InAs-GaAs alloy. Inasmuch as both of these materials have the zinc blende crystal structure, which has cubic symmetry, V_C is just the cube of the unit cell length, a . That is

$$\begin{aligned} V_C &= a^3 = (0.5820 \text{ nm})^3 \\ &= (5.820 \times 10^{-8} \text{ cm})^3 = 1.971 \times 10^{-22} \text{ cm}^3 \end{aligned}$$

It is now necessary to construct expressions for A_{ave} and ρ_{ave} in terms of the concentration of indium arsenide, C_{InAs} using Equations 4.11a and 4.10a. For A_{ave} we have

$$\begin{aligned} A_{\text{ave}} &= \frac{100}{\frac{C_{\text{InAs}}}{A_{\text{InAs}}} + \frac{(100 - C_{\text{InAs}})}{A_{\text{GaAs}}}} \\ &= \frac{100}{\frac{C_{\text{InAs}}}{189.74 \text{ g/mol}} + \frac{(100 - C_{\text{InAs}})}{144.64 \text{ g/mol}}} \end{aligned}$$

whereas for ρ_{ave}

$$\rho_{\text{ave}} = \frac{100}{\frac{C_{\text{InAs}}}{\rho_{\text{InAs}}} + \frac{(100 - C_{\text{InAs}})}{\rho_{\text{GaAs}}}}$$