

**MATHEMATICS 201**  
**FIRST SEMESTER, 1997-98**  
**QUIZ 1**

Time: 55 MINUTES.

Date: November 20, 1997.

Name: \_\_\_\_\_

ID Number: \_\_\_\_\_

Section: \_\_\_\_\_

Circle Instructor's Name: Prof. H. Abu-Khuzam, Prof. A. Lyzzaik

GRADE:

1.

2.

3.

4.

5.

---

Total:                      /50

1. Investigate for convergence or divergence the following series:

(a)  $\sum_{n=1}^{\infty} \left(\frac{2n}{2n+1}\right)^{2n}$  . (4 points)

(b)  $\sum_{n=1}^{\infty} \frac{1 + \cos n}{n^{3/2}}$  . (4 points)

(c)  $\sum_{n=2}^{\infty} \tan(1/\ln n).$

(4 points)

(d)  $\sum_{n=1}^{\infty} ne^{-n^2}.$

(4 points)

$$(e) \sum_{n=1}^{\infty} \frac{(\ln n)^n}{n^{n/2}}. \quad (4 \text{ points})$$

$$(f) \sum_{n=1}^{\infty} \frac{1.3.5 \cdots (2n-1)}{n!}. \quad (4 \text{ points})$$

2. Estimate the error of the approximation  $\cos x = 1 - x^2/2$  for all values  $x$ ,  $|x| < 0.1$ . (4 points)

3. Given the series  $\sum_{n=1}^{\infty} \left[ \frac{2}{n(n+1)} + \frac{3}{2^n} \right]$ .

(a) Prove that the series converges. (4 points)

(b) Find the sum of the series. (4 points)

4. Given the power series  $\sum_{n=2}^{\infty} (-1)^n \frac{x^n}{n\sqrt{\ln n}}$ .

(a) Find the series radius and interval of convergence. (4 points)

(b) For what values of  $x$  the series (i) converges conditionally and (ii) absolutely. (3 points)

5. (a) Find the Maclaurin series of  $\tan^{-1} x$ . (4 points)

(b) Use (a) to find the sum  $\sum_{n=0}^{\infty} \frac{(-1)^n (\sqrt{3}/3)^{2n+1}}{(2n+1)}$ . (3 points)